Ref #	Hits	Search Query	DBs	Default Operator	Plurais	Time Stamp
Li	2	"5720921".pn.	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L2	2	"6090617".pn.	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L3	2	"6074605".pn.	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L4	2	"5676646".pn.	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L5	19114	electroporat\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L6	98982	thermal with resistan\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L7	23448	thermal adj resistan\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L8	1816	per adj watt	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L9	943365	mm or millimeter\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L10	16010	electroporat\$ and (mm or millimeter\$)	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L11	957073	electrod\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L12	33478	(mm or millimeter\$) with electrod\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L13	329	electroporat\$ and ((mm or millimeter\$) with electrod\$)	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L14	1254503	chamber\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07 ·
L15	2044	((mm or millimeter\$) with electrod\$) same chamber\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07

L16	2601681	flow\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L17	129	electroporat\$ with flow\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L18	82	(mm or millimeter\$) and (electroporat\$ with flow\$)	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L19	11	electroporat\$ and (thermal adj resistan\$)	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L20	2	electroporat\$ and (per adj watt)	USPAT; EPO; DERWENT	OR-	OFF	2005/05/26 11:07
L21	70	electroporat\$ and (((mm or millimeter\$) with electrod\$) same chamber\$)	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L22	15	(mm or millimeter\$) same (electroporat\$ with flow\$)	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L23	20805	"7 mm"	USPAT	OR	OFF	2005/05/26 11:07
L24	1	"5720921".pn. and "7 mm"	USPAT	OR	OFF	2005/05/26 11:07
L25	789291	mm or cm	USPAT	OR	OFF	2005/05/26 11:07
L26	1	"5676646".pn. and (mm or cm)	USPAT	OR	OFF	2005/05/26 11:07
L27	19114	electroporat\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L28	98982	thermal with resistan\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L29	23448	thermal adj resistan\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L30	1816	per adj watt	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L31	943365	mm or millimeter\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L32	16010	electroporat\$ and (mm or millimeter\$)	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L33	957073	electrod\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07

L34	33478	(mm or millimeter\$) with electrod\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L35	329	electroporat\$ and ((mm or millimeter\$) with electrod\$)	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L36	1254503	chamber\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L37	2044	((mm or millimeter\$) with electrod\$) same chamber\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L38	2601681	flow\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L39	129	electroporat\$ with flow\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L40	82	(mm or millimeter\$) and (electroporat\$ with flow\$)	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L41	20805	"7 mm"	USPAT	OR	OFF	2005/05/26 11:07
L42	789291	mm or cm	USPAT	OR	OFF	2005/05/26 11:07
L43	1	"5720921".pn. and "7 mm"	USPAT	OR	OFF	2005/05/26 11:07
L44	1	"5676646".pn. and (mm or cm)	USPAT	OR	OFF	2005/05/26 11:07
L45	2	"5720921".pn.	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L46	2	"6090617".pn.	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L47	2	"6074605".pn.	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L48	2	"5676646".pn.	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L49	11	electroporat\$ and (thermal adj resistan\$)	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L50	2	electroporat\$ and (per adj watt)	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L51	70	electroporat\$ and (((mm or millimeter\$) with electrod\$) same chamber\$)	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07

L52	15	(mm or millimeter\$) same (electroporat\$ with flow\$)	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L53	19114	electroporat\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L54	49446	platelet\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L55	48	L53 same L54	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L56	2	"6773669".pn.	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L57	101348	watt or watts or wattage\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L58	0	L56 and L57	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L59	976757	thermal\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L60	1	L56 and L59	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L61	1	"20030073238".pn.	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L62	1	"20030073238".pn.	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L63	110343	gasket\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L64	0	L62 and L63	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L65	286430	spacer\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L66		L62 and L65	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L67	115902	plural\$ with channel\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07

L68	0	L62 and L67	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L69	60340	(bore or bores) with plate\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L70	0	L62 and L69	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L71	1226583	cool or cools or cooled or cooling	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L72	1	L62 and L71	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L73	0	L64	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L74	12049167	"3"	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L75	1	L62 and L74	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L76	1675352	tube or tubes or tubular\$	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L77	1	L62 and L76	USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:07
L78	1682267	63 or 65 or 67 or 69 or 71	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:17
L79	2604	29 same 78	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:18
L80	4	19 and 78	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/05/26 11:19